


"DISCONTINUED" - SPECIAL SALES

SUBJECT TO AVAILABILITY AS OF: November 7th, 2017


Full Three Year Warranty on Projectors below

OPTIONAL LENS MODELS


Model	Description	WXGA 1280 x 800 - (16 : 10 Aspect Ratio)	List Price	QTY Available
EK-501W	6,000 ANSI ; 2500:1 Contrast;		Call	1
	UPC: 4571194677683			
EK-501WL	6,000 ANSI ; 2500:1 Contrast;	no lens Crestron RoomView™ & AMX Device Discovery Technology	Call	1
	UPC: 4571194677683			
Part Number	Accessories for EK-501W		List Price	
23040051	EK-5xx Series Projection Lamp (350 Watt NSHA) -		Call	
0173-4366	Ceiling Mount (RPA-346)		Call	
63220080	Dust Filter a (25mm)		Call	
63220081	Dust Filter b (5mm)		Call	

Part No.	Optional Dealer Installed Lenses For EK-501W	List Price	Normal 16 : 10 Throw to Width Factor
AH-E22010	Fixed Focus FL: .48" (12.40mm) f: 1.8 On-Axis Only	Call	0.80 : 1
AH-E22020	Power Zoom & Focus FL: 0.75" ~ 0.98" (19.3 ~ 24.9mm) f: 2.0 ~ 2.6	Call	1.17 ~ 1.54 : 1
AH-E21010 <i>Standard Lens</i>	Power Zoom & Focus FL: 0.94" ~ 1.70" (24.0 ~ 43.2mm) f: 1.8 ~ 2.6	Call	1.44 ~ 2.67 : 1
AH-E23010	Power Zoom & Focus FL: 1.79" ~ 2.90" (45.6 ~ 73.8mm) f: 2.2 ~ 2.8	Call	2.62 ~ 4.45 : 1
AH-E23020	Power Zoom & Focus FL: 2.76" ~ 4.70" (70.3 ~ 119.5mm) f: 2.2 ~ 2.8	Call	4.31 ~ 7.35 : 1


ATTACHED LENS MODELS

Model	Description	WUXGA 1920 x 1200 - (16 : 10 Aspect Ratio)	List Price	QTY Available
EK-303U	4,500 ANSI; 8,000:1 Contrast -		Call	2
	UPC: 4571194678512			
Part Number	Accessories: EK-305U, EK-303U		List Price	
23040049	Projection Lamp (280 Watt NSH)		Call	
0173-4367	Ceiling Mount (RPA-352)		Call	
63340044	Dust Filter		Call	
AH-98771	Component Video (3 RCA) to HD-15 Input Cable Adaptor - 12" length		Call	

CLASSROOM High Lamp Life MODEL

Model	Description	True XGA 1024 x 768 -	List Price	QTY Available	Throw to Width Factor
EK-103X	3,300 ANSI; 1,200:1 Contrast -		Call	1	1.48-1.78 T/W
	UPC: 4571194677881				
Part Number	Accessories: EK-103X		List Price		
23040052	Projection Lamp (218 Watt UHP)		Call		
0183-4361	Carry Bag	Carry Bag - Not Included	Call		
0173-4368	Ceiling Mount (RPA-353)		Call		
AH-98771	Component Video (3 RCA) to HD-15 Input Cable Adaptor - 12" length		Call		
60040044	Replacement Filter (EK-101X and EK-102X)		Call		
60040047	Replacement Filter - Sponge (EK-103X only)		Call		

CLASSROOM Low Maintenance MODEL

Model	Description	True XGA 1024 x 768 -	List Price	QTY Available	Throw to Width Factor
LC-XS25A	2600 ANSI; 450:1 Contrast - Self Advancing Air Filter Cartridge		Call	1	1.48-2.47 T/W
	UPC: 4571194673845				
Part Number	Accessories for LC-XS31, LC-XS30, LC-XS25A, LC-XS25		List Price		
610 339 8600	Projection Lamp (220 Watt UHP)		Call		
0173-4327	Ceiling Mount		Call		
645 057 3972	Cable-Interface (DVI ~ VGA)		Call		
610 342 8871	Replacement Filter Cartridge		Call		
AH-98771	Component Video 3 RCA to D-sub-15 Input Cable Adaptor - 12" length		Call		
645 057 3972	Cable-Interface (DVI ~ VGA)		Call		
945 039 7210	Mouse Cable (9') - Serial (RS-232)		Call		

"DISCONTINUED" - SPECIAL SALES

OPTIONAL LENSES (below) are Special Order Only (approx. 2 week dlvy if not in stock in the U.S.) "While Supplies Last"

Full 90 Day Warranty on Lenses & Accesories below

Part Number	Description	List Price	
610 353 1335	Quick Change Lens Mount Brkt (Type 1 lenses - 4 hole outer side)	Call	
610 353 1342	Quick Change Lens Mount Brkt (for Type 2 lenses - old type)	Call	

THEATER and POWERHOUSE MODELS (using 1.64" and 1.8" LCD Panels*)

Note: Not all lenses below are designed for all models using 1.64" and 1.8" LCD panels - CHECK THE LENS CHART BEFORE ORDERING!

Part No. / Ref No.	Optional Dealer Installed Lenses To order - Use Part No. Only	List Price		
AH-32022 / W03/E	Fixed Focus FL: 1.18" (30.0 mm) f:2.5 On-Axis only!	Call		
AH-32601 / W06	Power Zoom & Focus FL: 1.77" ~ 2.25" (45 ~ 57mm) f:2.3 ~ 2.8	Call		
AH-21202 / W02Z	Power Zoom & Focus FL: 2.06" ~ 2.67" (52.2 ~ 67.9mm) f:2.53 ~ 2.95	Call		
AH-32401 / W04	Power Zoom & Focus FL: 2.28" ~ 2.99" (58 ~ 76mm) f:1.7 ~ 2.3	Call		
0001-4297 / (125)	Manual Zoom & Focus FL: 2.75" ~ 5.00" (70.7 ~ 125mm) f:2.0 <i>Special Order Only</i>	Call		
945 044 0978 / S02Z <i>aka AH-21102</i>	Power Zoom & Focus FL:2.98" ~ 3.84" (75.7 ~ 97.5mm) f:2.00 ~ 2.30	Call		
AH-21401 / S04	Power Zoom & Focus FL: 2.99" ~ 3.86" (76 ~ 98mm) f:2.0 ~ 2.6 <i>For LC-HDT2000 and LC-HDT1000</i>	Call		
AH-22051 / S03	Power Zoom & Focus FL: 3.82" ~ 5.16" (97.0 ~ 131mm) f:1.70 ~ 2.70	Call		
0001-4260 / (537)	Manual Zoom & Focus FL: 4.49" ~ 7.72" (114 ~ 196mm) f:2.0 One (01) available at this price - call for availability and pricing	Call		
AH-21023 / M01E	Power Zoom & Focus FL: 4.90" ~ 6.37" (124.5 ~ 161.8mm) f:2.00 ~ 2.60	Call		
AH-22221 / M02	Power Zoom & Focus FL: 4.92" ~ 6.38" (125 ~ 162mm) f:2.1 ~ 2.7 <i>For LC-HDT2000 and LC-HDT1000</i>	Call		
AH-21092 / T02/E	Power Zoom & Focus FL: 6.22" ~ 8.7" (158.0 ~ 221.0mm) f:2.00 ~ 2.80	Call		
0001-4261 / (151)	Manual Zoom & Focus FL: 7.25" ~ 12.38" (184 ~ 314mm) f:2.8 <i>Special Order Only</i> While Supplies Last	Call		
AH-32581 / T03	Manual Zoom & Focus FL: 8.82" ~ 12.8" (224 ~ 325mm) f:2.20 ~ 2.50	Call		

BOARDROOM MODELS (using 1.3" LCD Panels*)

Note: Not all lenses below are designed for all models using 1.3" LCD panels - CHECK THE LENS CHART BEFORE ORDERING!

Part No. / Ref No.	Optional Dealer Installed Lenses To order - Use Part No. Only	List Price		
0001-4316 / 2125	Fixed Focus FL:.826" (21.0mm) f: 2.5 On Axis only!	Call		
AH-32012 / W32E	Fixed Focus FL:.88" (22.3mm) f: 2.5 On Axis only!	Call		
AH-23122 / W31A	Power Zoom & Focus FL: 1.35" ~ 1.90" (34.3 ~ 48.2mm) f: 2.50 ~ 3.00	Call		
AH-23123 / W33	Power Zoom & Focus FL: 1.35" ~ 1.99" (34.3 ~ 48.0mm) f: 2.1~2.7 <i>For LC-HDT700</i>	Call		
945 047 2771 / S31 <i>aka AH-23081</i>	Power Zoom & Focus FL: 1.90"~2.47" (48.2mm ~ 62.6mm) f: 1.7~2.0	Call		
AH-23082 / S32	Power Zoom & Focus FL: 1.89" ~ 2.46" (48.2 ~ 62.6mm) f: 1.70 ~ 2.10 <i>For LC-HDT700</i>	Call		
AH-23132 / T31A	Power Zoom & Focus FL: 2.50" ~ 4.39" (63.5 ~ 111.5mm) f: 2.00 ~ 2.90	Call		
AH-23133 / T34	Power Zoom & Focus FL: 2.49" ~ 4.38" (63.53 ~ 11.5mm) f: 2.0~2.9 <i>For LC-HDT700</i>	Call		
AH-24241 / T32	Power Zoom & Focus FL: 4.41" ~ 6.10" (112 ~ 155mm) f: 2.10 ~ 2.70	Call		
0001-4321 / 087	Manual Zoom & Focus FL: 5.20"~ 8.70" (132 ~ 220 mm) f:3.0	Call		
0001-4322 / 900	Manual Zoom & Focus FL: 6.00"~ 9.00" (150 ~ 230 mm) f:3.5	Call		
610 331 7601	Quick Change Lens Mount Bracket (for multiple optional lenses)	Call		

EIP-HDT30, EIP-HDT20, AND EIP-SXG20 MODELS

Note: Not all lenses below are designed for all models above - CHECK THE LENS CHART BEFORE ORDERING!

Part No. / Ref No.	Optional Dealer Installed Lenses To order - Use Part No. Only	List Price		
AH-43002W / (W52)	Fixed - Power Focus FL: 0.673" (17.1mm) f:2.0 On Axis Only!	Call		
AH-43003W / (W53)	Power Zoom & Focus FL: 1.02" ~ 1.51" (25.8 ~ 38.3mm) f: 2.4~2.7	Call		
AH-43006S / (S51)	Power Zoom & Focus FL: 1.52" ~ 2.36" (38.50 ~ 60.00mm) f: 2.0~2.6	Call		
AH-43007T / (T50)	Power Zoom & Focus FL: 2.34" ~ 4.20" (59.30 ~ 106.7mm) f: 2.0~2.9	Call		
AH-43008T / (T51)	Power Zoom & Focus FL: 3.99" ~ 6.65" (101.3 ~ 168.8mm) f: 2.3~3.2	Call		

"DISCONTINUED" - SPECIAL SALES

OPTIONAL LENSES (below) are Special Order Only (approx. 2 week dlvy if not in stock in the U.S.) "While Supplies Last"

Full 90 Day Warranty on Lenses & Accesories below

"L" series & XN200 series MODELS

Part No. / Ref No.	Optional Dealer Installed Lenses To order - Use Part No. Only	List Price		
AH-24721 / W21	Fixed Focus FL: .514" (13.05mm) f: 2.0 On-Axis	Call		
AH-24711 / W20	Power Zoom & Focus FL: 0.80" ~ 1.09" (20.35 ~ 27.66mm) f: 1.8 ~ 2.3	Call		
645 101 1053 / S20 <i>aka AH-24741</i>	Power Zoom & Focus FL: 1.06" ~ 1.79" (26.85 ~ 45.43mm) f: 1.74 ~ 2.37	Call		
AH-24771 / T20	Power Zoom & Focus FL: 1.80" ~ 2.91" (45.6 ~ 73.8mm) f: 1.82 ~ 2.34	Call		
0001-4345 / 500	Manual Zoom & Focus FL: 2.75" ~ 5.00" (70 ~ 125mm) f:2.8 <i>Special Order Only</i>	Call		
AH-24781 / T21	Power Zoom & Focus FL: 2.91" ~ 4.61" (73.9 ~ 117.1mm) f:1.83 ~ 2.35	Call		
0001-4351 / 087	Manual Zoom & Focus FL: 5.20" ~ 8.70" (132 ~ 220mm) f:3.0	Call		

2305-4339

CAT 5 HD Extender RCVR/TRANS - One to One / up to 325'

- * Plug and Play. No software needed.
- * Extends and displays video signal up to 325' (100 meters)
- * Sends video at 1920 x 1080 at 25fps (film rate)
- * Sends video at 1680 x 1050 at 30fps (video rate)
- * Quick response and display time for keyboard and mouse

Part Number	Description	List Price
2305-4339	CAT 5 HD Extender RCR/TRNS - One to One / up to 325'	Call

2305-4330

CAT 5 Plus Extender RCVR/TRANS - One to One / up to 1000'

- * Allows source to extend audio and video signal up to 1000'
- * Provides a one source to one display solution
- * Supports VGA resolution up to 1280 x 1024
- * Perfect for Digital Signage

Part Number	Description	List Price
2305-4330	CAT 5 Plus Extender RCR/TRNS - One to One / up to 1000'	Call

RECONDITIONED STOCK - SPECIAL SALES

SUBJECT TO AVAILABILITY AS OF: November 7th, 2017

One Year Warranty on Finished Products below

30 Day Credit/Refund on Accessory Items

P.O. must state "Reconditioned stock - Special Sales" for prices shown below.

Model	Description	Quantity	Special Price	Throw to Width Factor
LCD ATTACHED LENS Models				
EK-305U	WUXGA 1920 x 1200 - 5,000 ANSI; 8,000:1 Contrast; 9.9 lbs.	1	Call	1.39-2.11 T/W
EK-303U	WUXGA 1920 x 1200 - 4,500 ANSI; 8,000:1 Contrast; 9.9 lbs.	4	Call	1.39-2.11 T/W
EK-100W	WXGA 1280 x 800 - 3,600 ANSI; 10,000:1 Contrast; 7.0 lbs.	2	Call	1.45-1.74 T/W
EK-302X	XGA 1024 x 768 - 5,600 ANSI; 8,000:1 Contrast; 9.9 lbs.	1	Call	1.40-2.30 T/W
EK-101X	XGA 1024 x 768 - 4,200 ANSI; 10,000:1 Contrast; 7.0 lbs.	6	Call	1.48-1.78 T/W
LC-XNS3100	XGA 1024 x 768 - 3,300 ANSI; 5,000:1 Contrast; 6.7 lbs.	1	Call	1.45-1.74 T/W
LC-XIP2600	XGA 1024 x 768 - 2,600 ANSI; 500:1 Contrast; 8.6 lbs.	1	Call	.97-1.19 T/W
LC-XIP2000	XGA 1024 x 768 - 2,000 ANSI; 400:1 Contrast; 7.7 lbs.	2	Call	.98-1.17 T/W
LC-XB24	XGA 1024 x 768 - 2,500 ANSI; 450:1 Contrast; 5.3 lbs.	1	Call	1.72-2.07 T/W
LC-XBL25	XGA 1024 x 768 - 2,600 ANSI; 500:1 Contrast; 5.5 lbs.	6	Call	1.62-1.92 T/W
LC-XBL20	XGA 1024 x 768 - 2,200 ANSI; 500:1 Contrast; 5.5 lbs.	1	Call	1.62-1.92 T/W

Model	Description	Quantity	Special Price	Throw to Width Factor
DLP ATTACHED LENS Models				
EK-600U	WUXGA 1920 x 1200 - 6,000 ANSI; 10,000:1 Contrast; 13.6 lbs.	4	Call	1.20-2.16 T/W
EK-402UA	WUXGA 1920 x 1200 - 4,700 ANSI; 10,000:1 Contrast; 8.4 lbs.	3	Call	1.39-2.09 T/W
EK-402U	WUXGA 1920 x 1200 - 4,700 ANSI; 10,000:1 Contrast; 8.4 lbs.	17	Call	1.39-2.09 T/W
EIP-WX5000	WXGA 1280 x 800 - 5,200 ANSI; 1,800:1 Contrast; 58.6 lbs.	2	Call	1.80-2.30 T/W
EK-401WA	WXGA 1280 x 800 - 4,600 ANSI; 10,000:1 Contrast; 8.4 lbs.	3	Call	1.45-2.17 T/W
EK-401W	WXGA 1280 x 800 - 4,600 ANSI; 10,000:1 Contrast; 8.4 lbs.	4	Call	1.45-2.17 T/W
EIP-W4600	WXGA 1280 x 800 - 4,600 ANSI; 2,200:1 Contrast; 8.4 lbs.	6	Call	1.66-2.02 T/W
EK-400XA	XGA 1024 x 768 - 5,500 ANSI; 12,500:1 Contrast; 8.4 lbs.	2	Call	1.43-2.14 T/W
EIP-X5500	XGA 1024 x 768 - 5,500 ANSI; 2,200:1 Contrast; 8.4 lbs.	1	Call	1.80-2.10 T/W
EIP-4200	XGA 1024 x 768 - 4,200 ANSI; 2,500:1 Contrast; 12.8 lbs.	1	Call	1.50-1.70 T/W

Model	Description	Quantity	Special Price	Note
DLP OPTIONAL LENS Models				
EK-800U	WUXGA 1920 x 1200 - 12,000 ANSI; 5,000:1 Contrast; 52.4 lbs.	8	Call	no lens
EK-810U	WUXGA 1920 x 1200 - 8,000 ANSI; 100,000:1 Contrast; 52.9 lbs.	4	Call	no lens
EIP-UHS100	WUXGA 1920 x 1200 - 8,000 ANSI; 2,400:1 Contrast; 52.9 lbs.	3	Call	no lens
EK-620U	WUXGA 1920 x 1200 - 6,500 ANSI; 100,000:1 Contrast; 51.5 lbs.	3	Call	no lens
EIP-HDT30	1080p 1920 x 1080 - 8,000 ANSI; 7,500:1 Contrast; 43.2 lbs.	1	Call	no lens
EK-621W	WXGA 1280 x 800 - 6,500 ANSI; 100,000:1 Contrast; 51.5 lbs.	1	Call	no lens
EK-611W	WXGA 1280 x 800 - 6,500 ANSI; 4,400:1 Contrast; 30.9 lbs.	3	Call	no lens
EIP-XHS100	XGA 1024 x 768 - 8,500 ANSI; 2,400:1 Contrast; 52.9 lbs.	2	Call	no lens
EK-612X	XGA 1024 x 768 - 7,000 ANSI; 4,400:1 Contrast; 30.9 lbs.	2	Call	no lens
EIP-5000	XGA 1024 x 768 - 5,200 ANSI; 1,200:1 Contrast; 32.7 lbs.	3	Call	1.81-2.20 T/W

RECONDITIONED STOCK - SPECIAL SALES

SUBJECT TO AVAILABILITY AS OF: **November 7th, 2017**

One Year Warranty on Finished Products below

30 Day Credit/Refund on Accessory Items

P.O. must state "Reconditioned stock - Special Sales" for prices shown below.

Model	Description	Quantity	Special Price	T/W Ratio
Lenses For EIP-HDT30, EIP-SXG20 & EIP-HDT20:				
AH-43005S / (S50)	Power Zoom & Focus FL: 1.52" ~ 2.36" (38.5 ~ 60.0mm) f: 2.0~2.6	1	Call	1.83 ~ 2.85 : 1
Lenses For EIP-WX5000:				
AH-55601 / F23EZ	Power Zoom & Focus FL: 1.256" ~ 1.673" (31.9 ~ 42.5mm) f: 2.5	1	Call	2.25 ~ 3.00 : 1
AH-55801	Power Zoom & Focus FL: 2.445" ~ 3.85" (62.1 ~ 97.8mm) f: 2.5	2	Call	4.55 ~ 7.09 : 1
Lenses For EIP-5000/L & EIP-4500/L:				
AH-45201	Fixed Lens FL: 0.46" (11.6mm) f:2.5	2	Call	0.80 : 1
AH-45301	Power Zoom & Focus FL: 0.83" ~ 1.02" (21.20 ~ 25.80mm) f: 2.5	4	Call	1.50 ~ 1.80 : 1
AH-45501	Power Zoom & Focus FL: 1.26" ~ 1.67" (31.90 ~ 42.50mm) f: 1.8~2.0	4	Call	2.25 ~ 3.00 : 1
AH-45601	Power Zoom & Focus FL: 1.61" ~ 2.47" (40.80 ~ 62.80mm) f: 2.5	5	Call	3.00 ~ 4.50 : 1
0001-5007	Manual Zoom & Focus FL: 1.97" ~ 2.76" (50 ~ 70mm) f: 2.5	2	Call	3.50 ~ 4.92 : 1
AH-45701	Power Zoom & Focus FL: 2.45" ~ 3.85" (62.10 ~ 97.80mm) f: 2.4~2.5	4	Call	4.50 ~ 6.98 : 1
0001-5008	Manual Zoom & Focus FL: 2.76" ~ 4.92" (70 ~ 125mm) f: 2.8	1	Call	4.90 ~ 8.78 : 1
0001-5009	Manual Zoom & Focus FL: 5.90" ~ 9.05" (150 ~ 230mm) f: 3.5	2	Call	10.70 ~ 16.10 : 1

Model	Description	Quantity	Special Price	T/W Ratio
LCD OPTIONAL LENS Models				
EK-510U	WUXGA 1920 x 1200 - 7,000 ANSI; 2500:1 Contrast; 22.7 lbs.	1	Call	1.44~2.67 T/W
EK-510UL	WUXGA 1920 x 1200 - 7,000 ANSI; 2500:1 Contrast; 21.3 lbs.	1	Call	no lens
EK-500U	WUXGA 1920 x 1200 - 5,100 ANSI; 2500:1 Contrast; 23.1 lbs.	4	Call	1.44~2.67 T/W
LC-WUL100A	WUXGA 1920 x 1080 - 5,000 ANSI; 2000:1 Contrast; 21.6 lbs.	2	Call	
EK-501W	WXGA 1280 x 800 - 6,000 ANSI; 2500:1 Contrast; 23.1 lbs.	2	Call	1.44~2.67 T/W
EK-501WL	WXGA 1280 x 800 - 6,000 ANSI; 2500:1 Contrast; 21.3 lbs.	2	Call	no lens
LC-WXN200	WXGA 1280 x 800 - 6,000 ANSI; 2000:1 Contrast; 23.4 lbs.	1	Call	1.70~2.89 T/W
LC-WXN200L	WXGA 1280 x 800 - 6,000 ANSI; 2000:1 Contrast; 21.6 lbs.	2	Call	no lens
LC-W3	WXGA 1366 x 768 - 3,000 ANSI; 1000:1 Contrast; 17.4 lbs.	4	Call	1.81~2.36 T/W
LC-XL200L	XGA 1024 x 768 - 6,000 ANSI; 1000:1 Contrast; 19.8 lbs.	3	Call	no lens
LC-XL100	XGA 1024 x 768 - 5,000 ANSI; 1000:1 Contrast; 22.3 lbs.	8	Call	1.70~2.89 T/W
LENSES FOR LCD OPTIONAL LENS Models				
Below Lenses are guaranteed functional; but, sold "AS IS" (i.e. maybe missing lens accessory items -screwdrivers, etc.)				Throw to Width Factor
AH-23511 / W10	Power Zoom & Focus FL: 1.0" ~ 1.3" (25.4-33.0mm) f:2.3~2.6 XG Series	1	Call	1.00~ 1.30 : 1
AH-23631 / W11	Manual, Fixed FL: 0.65" (16.51mm) f:2.3 XG Series	2	Call	1.6 : 1
0001-4264 / 1028	Manual, Fixed FL: 1.00" (25.40mm) f:2.8 XG Series	1	Call	1.26 : 1
AH-23541 / T10	Power Zoom & Focus FL: 1.71" ~ 2.74" (43.43-69.49mm) f:2.0~2.6 XG Series	2	Call	2.12 ~ 3.39 : 1
0001-4269 / 275	Manual, Zoom FL: 1.97" ~ 2.76" (50 ~ 70mm) f:2.5 XG Series	1	Call	2.49 ~ 3.48 : 1
0001-4266 / 500	Manual, Zoom FL: 2.75" ~ 5.00" (70 ~ 120mm) f:2.8 XG Series	2	Call	3.47 ~ 6.31 : 1
0001-4268 / 900	Manual, Zoom FL: 6.00" ~ 9.00" (152 ~ 229mm) f:3.5 XG Series	1	Call	7.58~ 11.36 : 1
AH-24721 / W21	Power, Fixed FL: 0.51" (13.05 mm) f:2.0 "L" Series	1	Call	0.8 : 1
0001-4344 / 1625	Manual, Fixed FL: 0.629" (16 mm) f:2.5 "L" Series	1	Call	0.98 : 1
0001-4316 / 2125	Manual, Fixed FL: 0.826" (21 mm) f:2.5 X85 / HDT700	2	Call	0.79 : 1
AH-23123 / W33	Power Zoom & Focus FL: 1.35" ~ 1.89" (34.3 - 48.0mm) f:2.1~2.7 HDT700	1	Call	1.30 ~ 1.80 : 1
AH-23082 / S32	Power Zoom & Focus FL: 1.89" ~ 2.46" (48.2 - 62.6mm) f:1.7~2.1 HDT700	5	Call	1.80 ~ 2.35 : 1
AH-23132 / T31A	Power Zoom & Focus FL: 2.50" ~ 4.39" (63.5 - 111.5mm) f:2.0~2.9 X85	1	Call	2.39 ~ 4.19 : 1
0001-4236	Manual Zoom FL: 1.5" (38.1mm) Lens (RP Only - Halo) f:2.8 X1100	2	Call	1.43 : 1
0001-4237	Manual Zoom FL: 2.75" ~ 5" (70 ~ 125mm) f:2.8 X1100	1	Call	2.62 ~ 4.77 : 1
0001-4181A	Manual Zoom / Focus FL: 6.00" ~ 9.00" (153 ~ 229 mm) f:3.5 870 / 980	3	Call	5.73 ~ 8.60 : 1
0001-4157	Manual Zoom FL: 2.75" ~ 5" (70-125mm) f:2.8 860 / 970	1	Call	2.65 ~ 4.80 : 1
0001-4159	Manual Zoom FL: 7.38"-12.3" (187.5-312.4mm) Lens f:4.0 860 / 970	2	Call	7.02 ~ 11.83 : 1

RECONDITIONED STOCK - SPECIAL SALES

SUBJECT TO AVAILABILITY AS OF: November 7th, 2017

One Year Warranty on Finished Products below

30 Day Credit/Refund on Accessory Items

P.O. must state "Reconditioned stock - Special Sales" for prices shown below.

Model	Description	Quantity	Special Price	Note
THEATRE SERIES				
LC-XT4U	XGA 1024 x 768 - 12,000 ANSI; 1300:1 Contrast; 80.5 lbs.	3	Call	no lens
LC-XT3	XGA 1024 x 768 - 10,000 ANSI; 1100:1 Contrast; 81.6 lbs.	1	Call	no lens
LENSES FOR THEATRE SERIES				
Below Lenses are guaranteed functional; but, sold "AS IS" (i.e. maybe missing lens accessory items -screwdrivers, etc.)				Throw to Width Factor
0001-4226	Fixed Focus FL: 2.1" (54.0mm) f:2.5 (XT1)	1	Call	1.45 : 1
AH-32401 / W04	Power Zoom & Focus FL: 2.28" ~ 2.99" (58 ~ 76mm) f:1.7 ~ 2.3	1	Call	1.55 ~ 2.03 : 1
AH-21401 / S04	Power Zoom & Focus FL: 2.99" ~ 3.86" (76 ~ 98mm) f:2.00 ~ 2.60 <i>Standard Lens for LC-HDT2000 & LC-HDT1000</i> w/ Memory	2	Call	2.00 ~ 2.60 : 1
0001-4229	Fixed Focus FL: 10" (253.2mm) f:2.8 (XT1)	1	Call	6.89 : 1
DUAL LAMP POWERHOUSE SERIES				
			Special Price	Note
LC-W5	WXGA 1366 x 768 - 6,000 ANSI; 2000:1 Contrast; 60.9 lbs.	4	Call	no lens
LC-W4	WXGA 1366 x 768 - 4,700 ANSI; 900:1 Contrast; 46.3 lbs.	3	Call	no lens
LC-X800A	XGA 1024 x 768 - 12,000 ANSI; 4000:1 Contrast; 60.9 lbs.	1	Call	no lens
LENSES FOR DUAL LAMP POWERHOUSE SERIES				
Below Lenses are guaranteed functional; but, sold "AS IS" (i.e. maybe missing lens accessory items -screwdrivers, etc.)				Throw to Width Factor
AH-32701 / W07	Manual, Fixed FL: 0.827" (21.0mm) f:2.5	1	Call	0.81 : 1
AH-32601 / W06	Power Zoom & Focus FL: 1.77" ~ 2.25" (45 ~ 57mm) f:2.3 ~ 2.8 w/ Memory	2	Call	1.22 ~ 1.55 : 1
AH-32401 / W04	Power Zoom & Focus FL: 2.28" ~ 2.99" (58 ~ 76mm) f:1.7 ~ 2.3 w/ Memory	1	Call	1.55 ~ 2.03 : 1
AH-21401 / S04	Power Zoom & Focus FL: 2.99" ~ 3.86" (76 ~ 98mm) f:2.00 ~ 2.60 <i>Standard Lens for LC-HDT2000 & LC-HDT1000</i>	2	Call	2.00 ~ 2.60 : 1
0001-4240	Manual, Fixed FL: 14" (355.6 mm) f:4.0 XT1 only	1	Call	9.65 : 1
LENSES FOR SINGLE LAMP POWERHOUSE SERIES (THRU X3L & SX3L except LC-X1U)				
Below Lenses are guaranteed functional; but, sold "AS IS" (i.e. maybe missing lens accessory items -screwdrivers, etc.)				Throw to Width Factor
0001-4169	Fixed Focus FL: 2.1" (53.4mm) f:2.5	3	Call	1.45 : 1
AH-20721	Power Zoom & Focus FL: 2.06" ~ 2.67" (52.2mm ~ 67.9mm) f:2.53 ~ 2.95	1	Call	1.41 ~ 1.84 : 1
645 031 2922	Power Zoom & Focus FL: 2.65" ~ 4.24" (67.3mm ~ 107.6mm) f:2.60 ~ 3.50	8	Call	1.82 ~ 2.92 : 1
AH-21021	Power Zoom & Focus FL: 4.90" ~ 6.37" (124.5 ~ 161.8mm) f:2.00 ~ 2.60	4	Call	3.37 ~ 4.38 : 1
0001-4161	Fixed Focus FL: 8" (203.0mm) f:2.8 (X1U ~ X2UA & SX1U ~ SX2U)	7	Call	5.50 : 1
0001-4163	Fixed Focus FL: 12.5" (318.0mm) f:3.5	2	Call	8.60 : 1
0001-4164	Fixed Focus FL: 15.5" (394.0mm) f:4.2	3	Call	10.67 : 1

RECONDITIONED STOCK - SPECIAL SALES

SUBJECT TO AVAILABILITY AS OF: November 7th, 2017

One Year Warranty on Finished Products below

30 Day Credit/Refund on Accessory Items

P.O. must state "Reconditioned stock - Special Sales" for prices shown below.

ONKYO PRO AUDIO PRODUCTS		Quantity	Special Price	Note
TX-8020	Stereo Receiver ; 16.1lbs. (7.1kg)	1	Call	
Model	Description	Quantity	Special Price	Note
VIDEO ONLY LCD PROJECTORS				
LC-180AR	200 ANSI; 20 lbs., Image 30" - 300" 120V 60Hz NTSC ONLY	89	Call	2.0-2.6 T/W
SHIPPING CASES				
0183-5005	Hard Shipping case EIP-5000 / EIP-4500 Fits 7.60" x 16.1" x 18.5" (193 x 412 x 470 mm)	1	Call	
0183-5018	Hard Shipping case EIP-HDT30 / EIP-HDT20 Fits 9.60" x 15.7" x 20.6" (242.5 x 400 x 524.2 mm)	5	Call	
0183-4307	Hard Shipping case XG400 / XG300 / XG250 Fits 6.46" x 13.7" x 17.4" (164 x 348.1 x 444 mm)	2	Call	
0183-4308	Hard Shipping case XB41 / XB41N / XB40 / XB40N Fits 3.07" x 13.15" x 9.17" (78 x 334 x 233 mm)	11	Call	
0183-4212	Hard Shipping case SM / XM series Fits 2.93" x 7.44" x 11.61" (74.5 x 189 x 295 mm)	8	Call	
0183-4287	Hard Shipping case XB15 thru XB28 & SB20 Fits 2.80" x 11.73" x 8.58" (71.0 x 298 x 218 mm)	6	Call	
SOFT CARRY BAGS & WHEELED CASES				
0183-4295	Soft Carry Bag XB23 / SB22 Fits 2.70" x 11.60" x 8.2" (69.5 x 294.5 x 208 mm)	775	Call	
CD COMBO & CASSETTE TAPE RECORDER PRODUCTS				
8080A	7 Watt - 5 jack - CD Combo w/USB & Audio Tape Player / Recorder	2	Call	
7070A	7 Watt - 5 jack - CD Combo w/Audio Tape Player / Recorder	17	Call	
3279V	1 Watt - 4 Jack - Cassette player / recorder 220V	32	Call	
SOFT CARRY BAGS CD/CTR Combo				
0183-7101	Soft Carry Bag 7070A	18	Call	