

**"Discontinued Stock" - SPECIAL SALES**

**SUBJECT TO AVAILABILITY AS OF: October 9th, 2017**

Full Three Year Warranty on Projectors below

**ATTACHED LENS MODELS**

303U with 1.6 :1 Manual Zoom & Focus Lens f: 1.65 ~2.25, FL .716"-1.156" (18.2~29.38mm) with T/W ratio 1.30 ~ 2.11 : 1			
Model	Description WUXGA 1920 x 1200 - ( 16 : 10 Aspect Ratio )	List Price	QTY Available
EK-303U	4,500 ANSI; 8,000:1 Contrast - UPC: 4571194678512	Call	2
Part Number	<b>Accessories:</b> EK-305U, EK-303U 305U & 303U Carry Bag not available	List Price	
23040049	Projection Lamp ( 280 Watt NSH )	Call	
0173-4367	Ceiling Mount (RPA-352) - Adjustable Post & Ceiling Plate - See Page 8	Call	
63340044	Dust Filter	Call	
AH-98771	Component Video (3 RCA) to HD-15 Input Cable Adaptor - 12" length	Call	

**CLASSROOM Low Maintenance MODEL**

Model	Description True XGA 1024 x 768 -	List Price	QTY Available	Note
LC-XS25A	2600 ANSI; 450:1 Contrast - Self Advancing Air Filter Cartridge UPC: 4571194673845	Call	1	1.48~2.47 T/W
Part Number	<b>Accessories</b> for LC-XS31, LC-XS30, LC-XS25A, LC-XS25	List Price		
610 339 8600	Projection Lamp ( 220 Watt UHP )	Call		
0173-4327	Ceiling Mount - Adjustable Posts & Ceiling Plates - See Page 8	Call		
645 057 3972	Cable-Interface ( DVI ~ VGA )	Call		
610 342 8871	Replacement Filter Cartridge	Call		
AH-98771	Component Video 3 RCA to D-sub-15 Input Cable Adaptor - 12" length	Call		
645 057 3972	Cable-Interface ( DVI ~ VGA )	Call		
945 039 7210	Mouse Cable ( 9' ) - Serial ( RS-232 )	Call		

"DISCONTINUED" - SPECIAL SALES

**OPTIONAL LENSES (below) are Special Order Only** (approx. 2 week dlvly if not in stock in the U.S.) \*While Supplies Last\*

Full 90 Day Warranty on Lenses & Accesories below

Part Number	Description	List Price
610 353 1335	Quick Change Lens Mount Brkt ( Type 1 lenses - 4 hole outer side )	Call
610 353 1342	Quick Change Lens Mount Brkt ( for Type 2 lenses - old type )	Call

**THEATER and POWERHOUSE MODELS** (using 1.64" and 1.8" LCD Panels\* )

Note: Not all lenses below are designed for all models using 1.64" and 1.8" LCD panels - CHECK THE LENS CHART BEFORE ORDERING!

Part No. / Ref No.	Optional Dealer Installed Lenses To order - Use Part No. Only	List Price
AH-32022 / W03/E	Fixed Focus FL: 1.18" ( 30.0 mm ) f:2.5 On-Axis only!	Call
AH-32601 / W06	Power Zoom & Focus FL: 1.77" ~ 2.25" ( 45 ~ 57mm ) f:2.3 ~ 2.8	Call
AH-21202 / W02Z	Power Zoom & Focus FL: 2.06" ~ 2.67" ( 52.2 ~ 67.9mm ) f:2.53 ~ 2.95	Call
AH-32401 / W04	Power Zoom & Focus FL: 2.28" ~ 2.99" ( 58 ~ 76mm ) f:1.7 ~ 2.3	Call
0001-4297 / (125)	Manual Zoom & Focus FL: 2.75" ~ 5.00" ( 70.7 ~ 125mm ) f:2.0 <i>Special Order Only</i>	Call
945 044 0978 / S02Z aka AH-21102	Power Zoom & Focus FL:2.98" ~ 3.84" ( 75.7 ~ 97.5mm ) f:2.00 ~ 2.30	Call
AH-21401 / S04	Power Zoom & Focus FL: 2.99" ~ 3.86" ( 76 ~ 98mm ) f:2.0 ~ 2.6 <i>For LC-HDT2000 and LC-HDT1000</i>	Call
AH-22051 / S03	Power Zoom & Focus FL: 3.82" ~ 5.16" ( 97.0 ~ 131mm ) f:1.70 ~ 2.70	Call
0001-4260 / (537)	Manual Zoom & Focus FL: 4.49" ~ 7.72" ( 114 ~ 196mm ) f:2.0 <i>One (01) available at this price - call for availability and pricing</i>	Call
AH-21023 / M01E	Power Zoom & Focus FL: 4.90" ~ 6.37" ( 124.5 ~ 161.8mm ) f:2.00 ~ 2.60	Call
AH-22221 / M02	Power Zoom & Focus FL: 4.92" ~ 6.38" ( 125 ~ 162mm ) f:2.1 ~ 2.7 <i>For LC-HDT2000 and LC-HDT1000</i>	Call
AH-21092 / T02/E	Power Zoom & Focus FL: 6.22"~ 8.7" ( 158.0 ~ 221.0mm ) f:2.00 ~ 2.80	Call
0001-4261 / (151)	Manual Zoom & Focus FL: 7.25" ~ 12.38" ( 184 ~ 314mm ) f:2.8 <i>Special Order Only While Supplies Last</i>	Call
AH-32581 / T03	Manual Zoom & Focus FL: 8.82"~ 12.8" ( 224 ~ 325mm ) f:2.20 ~ 2.50	Call

**BOARDROOM MODELS** (using 1.3" LCD Panels\* )

Note: Not all lenses below are designed for all models using 1.3" LCD panels - CHECK THE LENS CHART BEFORE ORDERING!

Part No. / Ref No.	Optional Dealer Installed Lenses To order - Use Part No. Only	List Price
0001-4316 / 2125	Fixed Focus FL:.826" ( 21.0mm ) f: 2.5 On Axis only!	Call
AH-32012 / W32E	Fixed Focus FL:.88" ( 22.3mm ) f: 2.5 On Axis only!	Call
AH-23122 / W31A	Power Zoom & Focus FL: 1.35" ~ 1.90" ( 34.3 ~ 48.2mm ) f: 2.50 ~ 3.00	Call
AH-23123 / W33	Power Zoom & Focus FL: 1.35" ~ 1.99" ( 34.3 ~ 48.0mm ) f: 2.1~2.7 <i>For LC-HDT700</i>	Call

<b>945 047 2771</b> / S31 <i>aka AH-23081</i>	Power Zoom & Focus	FL: 1.90"~2.47" ( 48.2mm ~ 62.6mm ) f: 1.7~2.0	Call
<b>AH-23082</b> / S32	Power Zoom & Focus <i>For LC-HDT700</i>	FL: 1.89" ~ 2.46" ( 48.2 ~ 62.6mm ) f: 1.70 ~ 2.10	Call
<b>AH-23132</b> / T31A	Power Zoom & Focus	FL: 2.50" ~ 4.39" ( 63.5 ~ 111.5mm ) f: 2.00 ~ 2.90	Call
<b>AH-23133</b> / T34	Power Zoom & Focus <i>For LC-HDT700</i>	FL: 2.49" ~ 4.38" ( 63.53 ~ 11.5mm ) f: 2.0-2.9	Call
<b>AH-24241</b> / T32	Power Zoom & Focus	FL: 4.41" ~ 6.10" ( 112 ~ 155mm ) f: 2.10 ~ 2.70	Call
<b>0001-4321</b> / 087	Manual Zoom & Focus	FL: 5.20"~ 8.70" ( 132 ~ 220 mm ) f:3.0	Call
<b>0001-4322</b> / 900	Manual Zoom & Focus	FL: 6.00"~ 9.00" ( 150 ~ 230 mm ) f:3.5	Call
<b>610 331 7601</b>	<b>Quick Change Lens Mount Bracket</b> ( for multiple optional lenses )		Call

**EIP-HDT30, EIP-HDT20, AND EIP-SXG20 MODELS**

*Note: Not all lenses below are designed for all models above - CHECK THE LENS CHART BEFORE ORDERING!*

<b>Part No.</b> / Ref No.	<b>Optional Dealer Installed Lenses</b> To order - Use Part No. Only	List Price
<b>AH-43002W</b> / (W52)	Fixed - Power Focus FL: 0.673" ( 17.1mm ) f:2.0 <i>On Axis Only!</i>	Call
<b>AH-43003W</b> / (W53)	Power Zoom & Focus FL: 1.02" ~ 1.51" ( 25.8 ~ 38.3mm ) f: 2.4~2.7	Call
<b>AH-43006S</b> / (S51)	Power Zoom & Focus FL: 1.52" ~ 2.36" ( 38.50 ~ 60.00mm ) f: 2.0-2.6	Call
<b>AH-43007T</b> / (T50)	Power Zoom & Focus FL: 2.34" ~ 4.20" ( 59.30 ~ 106.7mm ) f: 2.0~2.9	Call
<b>AH-43008T</b> / (T51)	Power Zoom & Focus FL: 3.99" ~ 6.65" ( 101.3 ~ 168.8mm ) f: 2.3~3.2	Call

**"Discontinued Stock" - SPECIAL SALES**  
**OPTIONAL LENSES (below) are Special Order Only** (approx. 2 week dlvly if not in stock in the U.S.) "While Supplies Last"

Full 90 Day Warranty on Lenses & Accesories below

**"L" series & XN200 series MODELS**

Part No. / Ref No.	Optional Dealer Installed Lenses To order - Use Part No. Only	List Price
AH-24721 / W21	Fixed Focus FL: .514" ( 13.05mm ) f: 2.0 On-Axis	Call
AH-24711 / W20	Power Zoom & Focus FL: 0.80" ~ 1.09" ( 20.35 ~ 27.66mm ) f: 1.8 ~ 2.3	Call
645 101 1053 / S20 aka AH-24741	Power Zoom & Focus FL: 1.06" ~ 1.79" ( 26.85 ~ 45.43mm ) f: 1.74 ~ 2.37	Call
AH-24771 / T20	Power Zoom & Focus FL: 1.80" ~ 2.91" ( 45.6 ~ 73.8mm ) f: 1.82 ~ 2.34	Call
0001-4345 / 500	Manual Zoom & Focus FL: 2.75" ~ 5.00" ( 70 ~ 125mm ) f:2.8 <i>Special Order Only</i>	Call
AH-24781 / T21	Power Zoom & Focus FL: 2.91" ~ 4.61" ( 73.9 ~ 117.1mm ) f:1.83 ~ 2.35	Call
0001-4351 / 087	Manual Zoom & Focus FL: 5.20" ~ 8.70" ( 132 ~ 220mm ) f:3.0	Call

## 2305-4339

**CAT 5 HD Extender RCVR/TRANS** - One to One / up to 325'

- \* Plug and Play. No software needed.
- \* Extends and displays video signal up to 325' (100 meters)
- \* Sends video at 1920 x 1080 at 25fps (film rate)
- \* Sends video at 1680 x 1050 at 30fps (video rate)
- \* Quick response and display time for keyboard and mouse

Part Number	Description	List Price	Note
2305-4339	CAT 5 HD Extender RCR/TRNS - One to One / up to 325'	Call	

## 2305-4330

**CAT 5 Plus Extender RCVR/TRANS** - One to One / up to 1000'

- \* Allows source to extend audio and video signal up to 1000'
- \* Provides a one source to one display solution
- \* Supports VGA resolution up to 1280 x 1024
- \* Perfect for Digital Signage

Part Number	Description	List Price	Note
2305-4330	CAT 5 Plus Extender RCR/TRNS - One to One / up to 1000'	Call	

**RECONDITIONED STOCK - SPECIAL SALES**

*SUBJECT TO AVAILABILITY AS OF: October 9th, 2017*

**One Year** Warranty on Finished Products below  
**30 Day Credit/Refund on Accessory Items**

*P.O. must state "Reconditioned stock - Special Sales" for prices shown below.*

Model	Description	Quantity	Special Price	Note
<b>LCD ATTACHED LENS Models</b>				
<b>EK-305U</b>	<b>WUXGA</b> 1920 x 1200 - 5,000 ANSI; 8,000:1 Contrast; 9.9 lbs.	<b>1</b>	<b>Call</b>	1.39-2.11 T/W
<b>EK-303U</b>	<b>WUXGA</b> 1920 x 1200 - 4,500 ANSI; 8,000:1 Contrast; 9.9 lbs.	<b>4</b>	<b>Call</b>	1.39-2.11 T/W
<b>LC-WB200A</b>	<b>WXGA</b> 1280 x 800 - 3,000 ANSI; 2,000:1 Contrast; 7.5 lbs.	<b>2</b>	<b>Call</b>	1.19-1.91 T/W
<b>LC-XNS3100</b>	<b>XGA</b> 1024 x 768 - 3,300 ANSI; 5,000:1 Contrast; 6.7 lbs.	<b>1</b>	<b>Call</b>	1.45-1.74 T/W
<b>LC-XIP2600</b>	<b>XGA</b> 1024 x 768 - 2,600 ANSI; 500:1 Contrast; 8.6 lbs.	<b>1</b>	<b>Call</b>	.97-1.19 T/W
<b>LC-XIP2000</b>	<b>XGA</b> 1024 x 768 - 2,000 ANSI; 400:1 Contrast; 7.7 lbs.	<b>2</b>	<b>Call</b>	.98-1.17 T/W
<b>LC-XB24</b>	<b>XGA</b> 1024 x 768 - 2,500 ANSI; 450:1 Contrast; 5.3 lbs.	<b>1</b>	<b>Call</b>	1.72-2.07 T/W
<b>LC-XBL25</b>	<b>XGA</b> 1024 x 768 - 2,600 ANSI; 500:1 Contrast; 5.5 lbs.	<b>6</b>	<b>Call</b>	1.62-1.92 T/W
<b>LC-XBL20</b>	<b>XGA</b> 1024 x 768 - 2,200 ANSI; 500:1 Contrast; 5.5 lbs.	<b>1</b>	<b>Call</b>	1.62-1.92 T/W

Model	Description	Quantity	Special Price	Note
<b>DLP ATTACHED LENS Models</b>				
<b>EK-600U</b>	<b>WUXGA</b> 1920 x 1200 - 6,000 ANSI; 10,000:1 Contrast; 13.6 lbs.	<b>4</b>	<b>Call</b>	1.20-2.16 T/W
<b>EK-402UA</b>	<b>WUXGA</b> 1920 x 1200 - 4,700 ANSI; 10,000:1 Contrast; 8.4 lbs.	<b>3</b>	<b>Call</b>	1.39-2.09 T/W
<b>EK-402U</b>	<b>WUXGA</b> 1920 x 1200 - 4,700 ANSI; 10,000:1 Contrast; 8.4 lbs.	<b>17</b>	<b>Call</b>	1.39-2.09 T/W
<b>EIP-WX5000</b>	<b>WXGA</b> 1280 x 800 - 5,200 ANSI; 1,800:1 Contrast; 58.6 lbs.	<b>2</b>	<b>Call</b>	1.80-2.30 T/W
<b>EK-401WA</b>	<b>WXGA</b> 1280 x 800 - 4,600 ANSI; 10,000:1 Contrast; 8.4 lbs.	<b>3</b>	<b>Call</b>	1.45-2.17 T/W
<b>EK-401W</b>	<b>WXGA</b> 1280 x 800 - 4,600 ANSI; 10,000:1 Contrast; 8.4 lbs.	<b>4</b>	<b>Call</b>	1.45-2.17 T/W
<b>EIP-W4600</b>	<b>WXGA</b> 1280 x 800 - 4,600 ANSI; 2,200:1 Contrast; 8.4 lbs.	<b>6</b>	<b>Call</b>	1.66-2.02 T/W
<b>EK-400XA</b>	<b>XGA</b> 1024 x 768 - 5,500 ANSI; 12,500:1 Contrast; 8.4 lbs.	<b>2</b>	<b>Call</b>	1.43-2.14 T/W
<b>EIP-X5500</b>	<b>XGA</b> 1024 x 768 - 5,500 ANSI; 2,200:1 Contrast; 8.4 lbs.	<b>1</b>	<b>Call</b>	1.80-2.10 T/W
<b>EIP-4200</b>	<b>XGA</b> 1024 x 768 - 4,200 ANSI; 2,500:1 Contrast; 12.8 lbs.	<b>2</b>	<b>Call</b>	1.50-1.70 T/W

Model	Description	Quantity	Special Price	Note
<b>DLP OPTIONAL LENS Models</b>				
<b>EK-800U</b>	<b>WUXGA</b> 1920 x 1200 - 12,000 ANSI; 5,000:1 Contrast; 52.4 lbs.	<b>6</b>	<b>Call</b>	no lens
<b>EK-810U</b>	<b>WUXGA</b> 1920 x 1200 - 8,000 ANSI; 100,000:1 Contrast; 52.9 lbs.	<b>3</b>	<b>Call</b>	no lens
<b>EIP-UHS100</b>	<b>WUXGA</b> 1920 x 1200 - 8,000 ANSI; 2,400:1 Contrast; 52.9 lbs.	<b>2</b>	<b>Call</b>	no lens
<b>EK-620U</b>	<b>WUXGA</b> 1920 x 1200 - 6,500 ANSI; 100,000:1 Contrast; 51.5 lbs.	<b>3</b>	<b>Call</b>	no lens
<b>EK-621W</b>	<b>WXGA</b> 1280 x 800 - 6,500 ANSI; 100,000:1 Contrast; 51.5 lbs.	<b>1</b>	<b>Call</b>	no lens
<b>EK-611W</b>	<b>WXGA</b> 1280 x 800 - 6,500 ANSI; 4,400:1 Contrast; 30.9 lbs.	<b>2</b>	<b>Call</b>	no lens
<b>EIP-XHS100</b>	<b>XGA</b> 1024 x 768 - 8,500 ANSI; 2,400:1 Contrast; 52.9 lbs.	<b>2</b>	<b>Call</b>	no lens
<b>EIP-5000</b>	<b>XGA</b> 1024 x 768 - 5,200 ANSI; 1,200:1 Contrast; 32.7 lbs.	<b>3</b>	<b>Call</b>	1.81-2.20 T/W

Model	Description	Quantity	Special Price	T/W Ratio
<b>Lenses For EIP-HDT30, EIP-SXG20 &amp; EIP-HDT20:</b>				
<b>AH-43005S</b> / (S50)	Power Zoom & Focus FL: 1.52" ~ 2.36" ( 38.5 ~ 60.0mm ) f: 2.0-2.6	<b>1</b>	<b>\$1,495.00</b>	1.83 ~ 2.85 : 1
<b>Lenses For EIP-WX5000:</b>				
<b>AH-55601</b> / F23EZ	Power Zoom & Focus FL: 1.256" ~ 1.673" ( 31.9 ~ 42.5mm ) f: 2.5	<b>1</b>	<b>\$925.00</b>	2.25 ~ 3.00 : 1
<b>AH-55801</b>	Power Zoom & Focus FL: 2.445" ~ 3.85" ( 62.1 ~ 97.8mm ) f: 2.5	<b>2</b>	<b>\$1,025.00</b>	4.55 ~ 7.09 : 1
<b>Lenses For EIP-5000/L &amp; EIP-4500/L:</b>				
<b>AH-45201</b>	Fixed Lens FL: 0.46" ( 11.6mm ) f:2.5	<b>1</b>	<b>\$1,139.00</b>	0.80 : 1
<b>AH-45301</b>	Power Zoom & Focus FL: 0.83" ~ 1.02" ( 21.20 ~ 25.80mm ) f: 2.5	<b>2</b>	<b>\$1,079.00</b>	1.50 ~ 1.80 : 1
<b>AH-45501</b>	Power Zoom & Focus FL: 1.26" ~ 1.67" ( 31.90 ~ 42.50mm ) f: 1.8-2.0	<b>2</b>	<b>\$989.00</b>	2.25 ~ 3.00 : 1
<b>AH-45601</b>	Power Zoom & Focus FL: 1.61" ~ 2.47" ( 40.80 ~ 62.80mm ) f: 2.5	<b>2</b>	<b>\$989.00</b>	3.00 ~ 4.50 : 1
<b>0001-5008</b>	Manual Zoom & Focus FL: 2.76" ~ 4.92" ( 70 ~ 125mm ) f: 2.8	<b>1</b>	<b>\$565.00</b>	4.90 ~ 8.78 : 1
<b>0001-5009</b>	Manual Zoom & Focus FL: 5.90" ~ 9.05" ( 150 ~ 230mm ) f: 3.5	<b>2</b>	<b>\$645.00</b>	10.70 ~ 16.10 : 1

**RECONDITIONED STOCK - SPECIAL SALES**

**SUBJECT TO AVAILABILITY AS OF: October 9th, 2017**

**One Year** Warranty on Finished Products below  
**30 Day Credit/Refund on Accessory Items**

**P.O. must state "Reconditioned stock - Special Sales" for prices shown below.**

Model	Description	Quantity	Special Price	Note
<b>LCD OPTIONAL LENS Models</b>				
<b>EK-510U</b>	<b>WUXGA</b> 1920 x 1200 - 7,000 ANSI; 2500:1 Contrast; 22.7 lbs.	<b>1</b>	<b>Call</b>	<b>1.44-2.67 T/W</b>
<b>EK-510UL</b>	<b>WUXGA</b> 1920 x 1200 - 7,000 ANSI; 2500:1 Contrast; 21.3 lbs.	<b>1</b>	<b>Call</b>	<b>no lens</b>
<b>EK-500U</b>	<b>WUXGA</b> 1920 x 1200 - 5,100 ANSI; 2500:1 Contrast; 23.1 lbs.	<b>4</b>	<b>Call</b>	<b>1.44-2.67 T/W</b>
<b>LC-WUL100A</b>	<b>WUXGA</b> 1920 x 1080 - 5,000 ANSI; 2000:1 Contrast; 21.6 lbs.	<b>2</b>	<b>Call</b>	
<b>EK-501W</b>	<b>WXGA</b> 1280 x 800 - 6,000 ANSI; 2500:1 Contrast; 23.1 lbs.	<b>3</b>	<b>Call</b>	<b>1.44-2.67 T/W</b>
<b>EK-501WL</b>	<b>WXGA</b> 1280 x 800 - 6,000 ANSI; 2500:1 Contrast; 21.3 lbs.	<b>2</b>	<b>Call</b>	<b>no lens</b>
<b>LC-WXN200</b>	<b>WXGA</b> 1280 x 800 - 6,000 ANSI; 2000:1 Contrast; 23.4 lbs.	<b>1</b>	<b>Call</b>	<b>1.70-2.89 T/W</b>
<b>LC-WXN200L</b>	<b>WXGA</b> 1280 x 800 - 6,000 ANSI; 2000:1 Contrast; 21.6 lbs.	<b>2</b>	<b>Call</b>	<b>no lens</b>
<b>LC-W3</b>	<b>WXGA</b> 1366 x 768 - 3,000 ANSI; 1000:1 Contrast; 17.4 lbs.	<b>4</b>	<b>Call</b>	<b>1.81-2.36 T/W</b>
<b>LC-XL200L</b>	<b>XGA</b> 1024 x 768 - 6,000 ANSI; 1000:1 Contrast; 19.8 lbs.	<b>3</b>	<b>Call</b>	<b>no lens</b>
<b>LC-XL100</b>	<b>XGA</b> 1024 x 768 - 5,000 ANSI; 1000:1 Contrast; 22.3 lbs.	<b>9</b>	<b>Call</b>	<b>1.70-2.89 T/W</b>
<b>LENSES FOR LCD OPTIONAL LENS Models</b>				
<b>Below Lenses are guaranteed functional; but, sold "AS IS"</b> ( i.e. maybe missing lens accessory items -screwdrivers, etc. )				<b>Throw to Width Factor</b>
AH-23511 / W10	Power Zoom & Focus FL: 1.0" ~ 1.3" ( 25.4-33.0mm ) f:2.3-2.6 <b>XG Series</b>	1	Call	1.00 ~ 1.30 : 1
AH-23631 / W11	Manual, Fixed FL: 0.65" ( 16.51mm ) f:2.3 <b>XG Series</b>	2	Call	1.6 : 1
AH-23541 / T10	Power Zoom & Focus FL: 1.71" ~ 2.74" ( 43.43-69.49mm ) f:2.0-2.6 <b>XG Series</b>	2	Call	2.12 ~ 3.39 : 1
AH-24721 / W21	Power, Fixed FL: 0.51" ( 13.05 mm ) f:2.0 <b>"L" Series</b>	1	Call	0.8 : 1
0001-4344 / 1625	Manual, Fixed FL: 0.629" ( 16 mm ) f:2.5 <b>"L" Series</b>	1	Call	0.98 : 1
0001-4316 / 2125	Manual, Fixed FL: 0.826" ( 21 mm ) f:2.5 <b>X85 / HDT700</b>	1	Call	0.79 : 1
AH-23123 / W33	Power Zoom & Focus FL: 1.35" ~ 1.89" ( 34.3 - 48.0mm ) f:2.1-2.7 <b>HDT700</b>	1	Call	1.30 ~ 1.80 : 1
AH-23082 / S32	Power Zoom & Focus FL: 1.89" ~ 2.46" ( 48.2 - 62.6mm ) f:1.7-2.1 <b>HDT700</b>	5	Call	1.80 ~ 2.35 : 1
AH-23132 / T31A	Power Zoom & Focus FL: 2.50" ~ 4.39" ( 63.5 - 111.5mm ) f:2.0-2.9 <b>X85</b>	1	Call	2.39 ~ 4.19 : 1
0001-4236	Manual Zoom FL; 1.5" ( 38.1mm ) Lens ( <b>RP Only - Halo</b> ) f:2.8 <b>X1100</b>	2	Call	1.43 : 1
0001-4237	Manual Zoom FL: 2.75"~ 5" ( 70 ~ 125mm ) f:2.8 <b>X1100</b>	1	Call	2.62 ~ 4.77 : 1
0001-4181A	Manual Zoom / Focus FL: 6.00" ~ 9.00" ( 153 ~ 229 mm ) f:3.5 <b>870 / 980</b>	3	Call	5.73 ~ 8.60 : 1
0001-4157	Manual Zoom FL: 2.75" ~ 5" ( 70-125mm ) f:2.8 <b>860 / 970</b>	1	Call	2.65 ~ 4.80 : 1
0001-4159	Manual Zoom FL: 7.38"-12.3" ( 187.5-312.4mm ) Lens f:4.0 <b>860 / 970</b>	2	Call	7.02 ~ 11.83: 1

**RECONDITIONED STOCK - SPECIAL SALES**

**SUBJECT TO AVAILABILITY AS OF: October 9th, 2017**

**One Year** Warranty on Finished Products below  
**30 Day Credit/Refund on Accessory Items**

**P.O. must state "Reconditioned stock - Special Sales" for prices shown below.**

Model	Description	Quantity	Special Price	Note
<b>THEATRE SERIES</b>				
<b>LC-XT4U</b>	<b>XGA</b> 1024 x 768 - 12,000 ANSI; 1300:1 Contrast; 80.5 lbs.	<b>3</b>	<b>Call</b>	<b>no lens</b>
<b>LC-XT3</b>	<b>XGA</b> 1024 x 768 - 10,000 ANSI; 1100:1 Contrast; 81.6 lbs.	<b>1</b>	<b>Call</b>	<b>no lens</b>
<b>LENSES FOR THEATRE SERIES</b>				
<b>Below Lenses are guaranteed functional; but, sold "AS IS"</b> ( i.e. maybe missing lens accessory items -screwdrivers, etc. )				<b>Throw to Width Factor</b>
0001-4226	Fixed Focus FL: 2.1" ( 54.0mm ) f:2.5 (XT1)	1	Call	1.45 : 1
AH-32401 / W04	Power Zoom & Focus FL: 2.28" ~ 2.99" ( 58 ~ 76mm ) f:1.7 ~ 2.3	1	Call	1.55 ~ 2.03 : 1
AH-21401 / S04	Power Zoom & Focus FL: 2.99" ~ 3.86" ( 76 ~ 98mm ) f:2.00 ~ 2.60 <i>Standard Lens for LC-HDT2000 &amp; LC-HDT1000</i> <b>w/ Memory</b>	2	Call	2.00 ~ 2.60 : 1
0001-4229	Fixed Focus FL: 10" ( 253.2mm ) f:2.8 (XT1)	1	Call	6.89 : 1
<b>DUAL LAMP POWERHOUSE SERIES</b>				
<b>LC-W5</b>	<b>WXGA</b> 1366 x 768 - 6,000 ANSI; 2000:1 Contrast; 60.9 lbs.	<b>4</b>	<b>Call</b>	<b>no lens</b>
<b>LC-W4</b>	<b>WXGA</b> 1366 x 768 - 4,700 ANSI; 900:1 Contrast; 46.3 lbs.	<b>3</b>	<b>Call</b>	<b>no lens</b>
<b>LC-X800A</b>	<b>XGA</b> 1024 x 768 - 12,000 ANSI; 4000:1 Contrast; 60.9 lbs.	<b>1</b>	<b>Call</b>	<b>no lens</b>
<b>LENSES FOR DUAL LAMP POWERHOUSE SERIES</b>				
<b>Below Lenses are guaranteed functional; but, sold "AS IS"</b> ( i.e. maybe missing lens accessory items -screwdrivers, etc. )				<b>Throw to Width Factor</b>
AH-32701 / W07	Manual, Fixed FL: 0.827" ( 21.0mm ) f:2.5	1	Call	0.81 : 1
AH-32601 / W06	Power Zoom & Focus FL: 1.77" ~ 2.25" ( 45 ~ 57mm ) f:2.3 ~ 2.8 <b>w/ Memory</b>	3	Call	1.22 ~ 1.55 : 1
AH-32401 / W04	Power Zoom & Focus FL: 2.28" ~ 2.99" ( 58 ~ 76mm ) f:1.7 ~ 2.3 <b>w/ Memory</b>	1	Call	1.55 ~ 2.03 : 1
AH-21401 / S04	Power Zoom & Focus FL: 2.99" ~ 3.86" ( 76 ~ 98mm ) f:2.00 ~ 2.60 <i>Standard Lens for LC-HDT2000 &amp; LC-HDT1000</i>	2	Call	2.00 ~ 2.60 : 1
0001-4240	Manual, Fixed FL: 14" ( 355.6 mm ) f:4.0 <b>XT1 only</b>	1	Call	9.65 : 1
<b>LENSES FOR SINGLE LAMP POWERHOUSE SERIES ( THRU X3L &amp; SX3L except LC-X1U )</b>				
<b>Below Lenses are guaranteed functional; but, sold "AS IS"</b> ( i.e. maybe missing lens accessory items -screwdrivers, etc. )				<b>Throw to Width Factor</b>
0001-4169	Fixed Focus FL: 2.1" ( 53.4mm ) f:2.5	3	Call	1.45 : 1
AH-20721	Power Zoom & Focus FL: 2.06" ~ 2.67" ( 52.2mm ~ 67.9mm ) f:2.53 ~ 2.95	1	Call	1.41 ~ 1.84 : 1
645 031 2922	Power Zoom & Focus FL: 2.65" ~ 4.24" ( 67.3mm ~ 107.6mm ) f:2.60 ~ 3.50	8	Call	1.82 ~ 2.92 : 1
AH-21021	Power Zoom & Focus FL: 4.90" ~ 6.37" ( 124.5 ~ 161.8mm ) f:2.00 ~ 2.60	4	Call	3.37 ~ 4.38 : 1
0001-4161	Fixed Focus FL: 8" ( 203.0mm ) f:2.8 (X1U ~ X2UA & SX1U ~ SX2U)	7	Call	5.50 : 1
0001-4163	Fixed Focus FL: 12.5" ( 318.0mm ) f:3.5	2	Call	8.60 : 1
0001-4164	Fixed Focus FL: 15.5" ( 394.0mm ) f:4.2	3	Call	10.67 : 1

**RECONDITIONED STOCK - SPECIAL SALES**

SUBJECT TO AVAILABILITY AS OF: October 9th, 2017

**One Year** Warranty on Finished Products below  
**30 Day Credit/Refund on Accessory Items**

P.O. must state "Reconditioned stock - Special Sales" for prices shown below.

ONKYO PRO AUDIO PRODUCTS		Quantity	Special Price	Note
<b>TX-8020</b>	Stereo Receiver ; 16.1lbs. ( 7.1kg )	1	Call	
Model	Description	Quantity	Special Price	Note
VIDEO ONLY LCD PROJECTORS				
<b>LC-180AR</b>	200 ANSI; 20 lbs., Image 30" - 300" 120V 60Hz NTSC ONLY	89	Call	2.0-2.6 T/W

SHIPPING CASES		Quantity	Special Price	Note
<b>0183-5005</b>	Hard Shipping case EIP-5000 / EIP-4500 Fits 7.60" x 16.1" x 18.5" ( 193 x 412 x 470 mm )	1	Call	
<b>0183-5018</b>	Hard Shipping case EIP-HDT30 / EIP-HDT20 Fits 9.60" x 15.7" x 20.6" ( 242.5 x 400 x 524.2 mm )	5	Call	
<b>0183-4307</b>	Hard Shipping case XG400 / XG300 / XG250 Fits 6.46" x 13.7" x 17.4" ( 164 x 348.1 x 444 mm )	2	Call	
<b>0183-4308</b>	Hard Shipping case XB41 / XB41N / XB40 / XB40N Fits 3.07" x 13.15" x 9.17" ( 78 x 334 x 233 mm )	11	Call	
<b>0183-4212</b>	Hard Shipping case SM / XM series Fits 2.93" x 7.44" x 11.61" ( 74.5 x 189 x 295 mm )	8	Call	
<b>0183-4287</b>	Hard Shipping case XB15 thru XB28 & SB20 Fits 2.80" x 11.73" x 8.58" ( 71.0 x 298 x 218 mm )	6	Call	
SOFT CARRY BAGS & WHEELED CASES		Quantity	Special Price	Note
<b>0183-4295</b>	Soft Carry Bag XB23 / SB22 Fits 2.70" x 11.60" x 8.2" ( 69.5 x 294.5 x 208 mm )	775	Call	

CD COMBO & CASSETTE TAPE RECORDER PRODUCTS		Quantity	Special Price	Note
<b>8080A</b>	7 Watt - 5 jack - CD Combo w/USB & Audio Tape Player / Recorder	1	Call	
<b>7070A</b>	7 Watt - 5 jack - CD Combo w/Audio Tape Player / Recorder	17	Call	
<b>3279V</b>	1 Watt - 4 Jack - Cassette player / recorder 220V	32	Call	
SOFT CARRY BAGS CD/CTR Combo		Quantity	Special Price	Note
<b>0183-7101</b>	Soft Carry Bag 7070A	18	Call	